

# January 1, 2024 Premium Formulary exclusions & Preferred Specialty prior authorization requirements

## Standard

Therapeutic category/ disease state	Excluded medications	Formulary alternative medications	
<b>Allergic reactions</b>			
Anaphylaxis treatment	Auvi-Q (0.15mg, 0.3mg)	epinephrine injection (0.15mg, 0.3mg)	
<b>Analgesics</b>			
<b>Non-steroidal anti-inflammatory agents</b>	Oral	Diclofenac cap 35mg (M), Zorvolex	celecoxib, diclofenac powder, diflunisal, etodolac, flurbiprofen, ibuprofen, indomethacin, ketoprofen, ketorolac, meclofenamate, meloxicam, nabumetone, naproxen, oxaprozin, piroxicam, sulindac
		Qmiiz ODT	meloxicam
		Relafen DS	nabumetone
	Other	Ketorolac nasal spray (M), Sprix nasal spray	diclofenac, ibuprofen, meloxicam
	Topical	Diclofenac patch (M), Flector, Licart	Any preferred/generic oral non-steroidal anti-inflammatory agent (examples: flurbiprofen, ibuprofen, ketoprofen, meloxicam, naproxen)
Voltaren gel		diclofenac gel/solution	
<b>Opioid analgesics</b>	Combinations	Apadaz, Benzhydrocodone/ acetaminophen	hydrocodone/acetaminophen, oxycodone/ acetaminophen
		Seglentis	tramadol, celecoxib
	Oral Long- Acting	Hysingla ER, Nucynta ER, Oxycodone ER (M), OxyContin	hydrocodone bitartrate ER 24HR, hydromorphone HCl ER, morphine sulfate ER, oxymorphone HCl ER, Xtampza ER
Conzip, Tramadol ER 100mg, 200mg, 300mg cap (M)		tramadol ER	

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Opioid analgesics (continued)</b>	Oral Short-Acting	Nucynta  codeine sulfate, hydromorphone HCl, morphine sulfate, oxycodone HCl, oxymorphone HCl
		Qdolo, Tramadol solution (M)  tramadol tab
		Roxybond  oxycodone IR
	Transmucosal Fentanyl Analgesics	Fentora, Fentanyl Citrate Buccal Tab (M), Lazanda, Subsys  fentanyl citrate lozenge
<b>Skeletal muscle relaxants</b>	Norgesic, Norgesic Forte, Orphenesic Forte (M)	orphenadrine tab, aspirin
<b>Spasticity</b>	Baclofen solution 5mg/5ml (M), Fleqsuvy, Lyvispah, Ozobax	baclofen tablet
<b>Antianxiety agents</b>		
<b>Antianxiety agents</b>	Loreev XR	clonazepam, diazepam, lorazepam, oxazepam, temazepam
<b>Antibacterials</b>		
<b>Oral antibiotics</b>	Doryx 80mg, Doryx MPC 60mg,120mg, Doxycycline Hyclate DR 80mg, Minolira	doxycycline, minocycline
	Lymepak	doxycycline
	Xifaxan 200 mg tab	Please talk to your doctor about clinically appropriate options.
<b>Vaginal anti-infectives</b>	Cleocin vaginal suppositories, Nuessa gel	clindamycin vaginal cream, metronidazole vaginal gel
<b>Anticonvulsants</b>		
<b>Seizure disorders</b>	Elepsia XR <sup>1</sup>	levetiracetam
	Eprontia <sup>1</sup>	topiramate sprinkle
	Lamictal ODT kit <sup>1</sup>	lamotrigine ODT
	Oxtellar XR <sup>1</sup>	oxcarbazepine IR
	Zonisade susp <sup>1</sup>	zonisamide cap
<b>Antidepressants</b>		
<b>Antidepressants</b>	Auvelity <sup>1</sup> , Bupropion XL (M) <sup>1</sup> , Forfivo XL <sup>1</sup>	bupropion, bupropion XL, citalopram tab, desvenlafaxine ER, duloxetine, escitalopram, fluoxetine, mirtazepine, paroxetine ER/IR, sertraline tab/xol, venlafaxine ER/IR
	Citalopram cap 30mg <sup>1</sup>	bupropion, citalopram tab, desvenlafaxine ER, duloxetine, escitalopram, fluoxetine, mirtazepine, paroxetine ER/IR, sertraline tab/sol, venlafaxine ER/IR
	Sertraline cap <sup>1</sup>	sertraline tab
	Venlafaxine ER 112.5mg <sup>1</sup>	venlafaxine ER 37.5mg, 75mg, 150mg, 225mg

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

Therapeutic category/ disease state	Excluded medications	Formulary alternative medications
<b>Antifungals, oral</b>		
Oral antifungals	Brexafemme, Vivjoa	fluconazole tab
	Tolsura	itraconazole cap
<b>Antimigraines</b>		
CGRP antagonists	Emgality 120 mg/ml	amitriptyline, atenolol, divalproex sodium, nadolol, propranolol, timolol, topiramate, venlafaxine, Aimovig, Ajovy
Ergotamine derivative (alpha)	Trudhesa	dihydroergotamine
Non-steroidal anti-inflammatory agents	Elyxyb	eletriptan, frovatriptan, rizatriptan, sumatriptan, zolmitriptan
Serotonin receptor agonists	Onzetra Xsail, Tosymra, Zembrace Symtouch	rizatriptan ODT, sumatriptan injection, sumatriptan nasal spray, zolmitriptan ODT
	Reyvow	Nurtec ODT, Ubrelvy
<b>Anti-Parkinson's agents</b>		
Parkinson's disease	Dhivy	carbidopa/levodopa IR, carbidopa/levodopa ODT
	Gocovri, Osmolex ER	amantadine
<b>Antipsychotics</b>		
Atypical antipsychotics	Lybalvi <sup>1</sup> , Secuado <sup>1</sup>	aripiprazole, asenapine, clozapine, olanzapine, paliperidone ER, quetiapine ER/IR, risperidone, ziprasidone
<b>Antivirals</b>		
Hepatitis B drugs	Vemlidy <sup>1</sup>	entecavir, tenofovir disoproxil fumarate
Hepatitis C drugs	Ledipasvir-Sofosbuvir (M), Sofosbuvir-Velpatasvir (M)	Epclusa, Harvoni, Mavyret, Vosevi
HIV drugs	Apretude	emtricitabine/ tenofovir disoproxil fumarate
	Cabenuva <sup>1</sup> , Descovy <sup>2</sup> , Temixys <sup>1</sup> , Vocabria <sup>1</sup>	Please talk to your doctor about clinically appropriate options.
<b>Autonomic and central nervous system</b>		
Attention deficit disorder	Adhansia XR, Adderall XR, Adzenys XR, Azstarys, Cotempla XR-ODT, Dyanavel XR chew tab/suspension, Mydayis, Quillichew ER, Quillivant XR, Vyvanse, Zenzedi 2.5 mg, 7.5 mg	amphetamine-dextroamphetamine IR, dexamethylphenidate IR/ER, dextroamphetamine IR/SR, methylphenidate IR/ER, Jornay PM
	Qelbree	atomoxetine, clonidine ER, guanfacine ER
Multiple sclerosis	Extavia, Plegridy, Rebif, Rebif Rebidose	Avonex, Betaseron
	Ponvory	dimethyl fumarate DR, glatopa, glatiramer, Avonex, Bafiertam, Betaseron, Copaxone, Kesimpta, Vumerity
<b>Cardiovascular</b>		
Angina	Aspruzyo sprinkle	ranolazine

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Cholesterol-lowering agents</b>	Ezetimibe/Rosuvastatin (M), Roszet	atorvastatin, ezetimibe, rosuvastatin, simvastatin
	Livalo, Zypitamag	atorvastatin, lovastatin, pravastatin, rosuvastatin, simvastatin
	Leqvio, Praluent	Repatha
<b>Edema</b>	Soanz	bumetanide, furosemide, torsemide
<b>Heart failure</b>	Furoscix	furosemide
<b>Hypertension</b>	Conjupri, Levamlodipine (M), Katerzia	amlodipine
	Inderal XL, Innopran XL	propranolol ER
	Kaspargo	metoprolol ER
	Valsartan oral sol	candesartan, losartan, valsartan(generic)
<b>Hypertension with osteoarthritis</b>	Consensi	amlodipine, celecoxib
<b>Hypertrophic cardiomyopathy (HCM)</b>	Camzyos	Please talk to your doctor about clinically appropriate options.
<b>Chemotherapy agents</b>		
<b>Alkylating agents</b>	Belrapzo, Bendamustine Sol (by Apotex), Bendamustine Sol (by Baxter), Vivimusta	Bendeka
<b>Antiandrogens</b>	Yonsa	Xtandi
<b>Asparaginase enzyme therapy agents</b>	Rylaze	Oncaspar
<b>Combination agents</b>	Inqovi	Please talk to your doctor about clinically appropriate options.
<b>Cytolytic antibodies</b>	Riabni, Truxima	Ruxience
<b>HER-2 inhibitors</b>	Herzuma, Ogivri, Ontruzant	Kanjinti, Phesgo, Trazimera
<b>Isocitrate Dehydrogenase-1 Inhibitors (IDH1)</b>	Rezlidhia	Tibsovo
<b>Kinase inhibitors</b>	Fotivda	Please talk to your doctor about clinically appropriate options.
	Pemazyre	Please talk to your doctor about clinically appropriate options.
	Rezurock	Imbruvica, Jakafi
	Tepmetko	Tabrecta
<b>Methyltransferase inhibitors</b>	Tazverik	Please talk to your doctor about clinically appropriate options.
<b>Miscellaneous</b>	Besremi	hydroxyurea, Pegasys
	Darzalex Faspro	Please talk to your doctor about clinically appropriate options.
<b>PARP inhibitors</b>	Rubraca <sup>1</sup>	Lynparza, Zejula
	Talzenna <sup>1</sup>	Lynparza

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Vascular endothelial growth factor inhibitor</b>	Alymsys	Mvasi, Zirabev
<b>Contraceptives</b>		
<b>Gel</b>	Phexxi	Please talk to your doctor about clinically appropriate options.
<b>Oral</b>	Lo Loestrin FE	junel FE, larin FE, microgestin FE, tarina FE
	Nextstellis	drospirenone/ethinyl estradiol, loryna, nikki, Natazia
	Slynd	camila, incassia, nora-be, norethindrone, norlyda, norlyroc
<b>Patch</b>	Twirla	levonorgestrel/ethinyl estradiol combined generic oral contraceptive, xulane, zafemy
<b>Corticosteroids</b>		
<b>Oral steroids</b>	Alkindi sprinkle	hydrocortisone
	Hemady	dexamethasone
	Rayos	prednisone
<b>Dermatological agents</b>		
<b>Atopic dermatitis</b>	Opzelura	betamethasone, fluocinolone, halobetasol, hydrocortisone, pimecrolimus, tacrolimus oint, triamcinolone, Eucrisa
<b>Facial angiofibroma</b>	Hyftor gel	Please talk to your doctor about clinically appropriate options.
<b>Topical acne treatment</b>	Aklief, Veltin	adapalene, adapalene/benzoyl peroxide, clindamycin gel/lotion/solution, clindamycin/benzoyl peroxide, dapsone, erythromycin/benzoyl peroxide, tretinoin cream, Amzeeq, Epiduo Forte, Onexton, Twyneo
	Arazlo, Fabior, Tazorac cream 0.05%; Tazarotene foam 0.1%	tazarotene cream
	Avita, Differin lotion	adapalene, tretinoin cream/gel, Retin-A micro gel 0.06% and 0.08%
	Winlevi	adapalene, clindamycin, dapsone, tazarotene cream, tretinoin cream
<b>Topical anesthetics</b>	ZTIldo	lidocaine patch
<b>Topical antifungals</b>	Jublia	ciclopirox, tavaborole, terbinafine
<b>Topical anti-infectives</b>	Epsolay cream	azelaic acid gel, Finacea foam, Soolantra
	Noritrate cream	azelaic acid gel, ivermectin 1%, metronidazole cream/gel/lotion, Finacea foam, Soolantra
<b>Topical corticosteroids</b>	ALA Scalp lotion	hydrocortisone
	Apexicon E cream	fluocinonide, betamethasone

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Topical corticosteroids continued</b>	Capex shampoo	flucinolone acetonide scalp oil, Derma-Smoothe/FS
	Cordran tape	flurandrenolide
	Halobetasol foam (M), Lexette	betamethasone, clobetasol, halobetasol cream/ointment
	Halog ointment	betamethasone, mometasone, triamcinolone
	Impeklo lotion	augmented betamethasone dipropionate, clobetasol
	Impoyz cream	clobetasol
	Pandel cream	flurandrenolide, hydrocortisone valerate, triamcinolone acetonide
	Trianex ointment 0.05%	hydrocortisone valerate, triamcinolone acetonide
	Ultravate lotion	clobetasol propionate, fluocinonide, halobetasol propionate
Verdeso foam	betamethasone, fluocinolone	
<b>Topical plaque psoriasis</b>	Calcipotriene foam 0.005% (M), Sorilux	calcipotriene
	Duobrii lotion	clobetasol, fluocinonide, halobetasol, tazarotene, Enstilar
	Zoryve cream	anthralin, betamethasone, calcitriol, calcipotriene, coal tar, clobetasol, pimecrolimus, tacrolimus, tazarotene, Enstilar, Vtama, Wynzora
<b>Diabetes</b>		
<b>Anti-hyperglycemic agents</b>	Glucagen Hypokit, Gvoke Hypopen, Gvoke Kit, Gvoke PFS	glucagon (generic), Baqsimi, Glucagon (made by Fresenius), Zegalogue
<b>Blood glucose meters, test strips and control solutions</b>	<b>Examples:</b> Abbott (FreeStyle, Precision), Arkray (Glucocard), Ascencia (Contour, Contour Next), Trividia (TRUEtest, TRUEtrack), Roche (Accu-Chek)	Lifescan (Onetouch), Relion test strips
<b>Continuous glucose monitoring (CGM)</b>	Freestyle Libre	Dexcom
<b>Blood sugar regulators miscellaneous</b>	metformin 625mg	metformin 500mg, 750mg, 850mg, 1000mg
	metformin HCl 24hr ER osmotic release, metformin HCl 24hr ER modified release	metformin ER
<b>Dipeptidyl peptidase-4 (DPP4) inhibitors and combinations</b>	Alogliptin (M), Alogliptin with metformin (M), Alogliptin with pioglitazone (M), Kazano, Kombiglyze XR, Nesina, Onglyza, Oseni	Janumet, Janumet XR, Januvia, Jentadueto, Jentadueto XR, Tradjenta
<b>Basal insulins</b>	Basaglar, Insulin Degludec, Insulin Glargine, Insulin Glargine-YFGN, Levemir, Semglee, Semglee-YFGN, Tresiba	Lantus, Toujeo

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Glucagon-like peptide-1 (GLP1) agonists</b>	Adlyxin	Bydureon, Bydureon BCise, Byetta, Mounjaro, Ozempic, Rybelsus, Trulicity, Victoza
<b>Insulins</b>	Novolin	Humulin, Novolin Relion
<b>Rapid-acting insulins</b>	Admelog, Apidra, Fiasp, Insulin Aspart (M), Insulin Lispro (M), Novolog	Humalog, Lyumjev, Novolog Relion
<b>Sodium-glucose co-transporter (SGLT2) inhibitors - single agent</b>	Invokana	Farxiga, Jardiance, Steglatro
<b>Sodium-glucose co-transporter (SGLT2) inhibitors - combination agents</b>	Invokamet, Invokamet XR, Segluromet	Synjardy, Synjardy XR, Xigduo XR
<b>SGLT2 and DPP4 combinations</b>	QTERN, Steglujan	Glyxambi, Trijardy XR
<b>Type 1 Diabetes</b>	Tzield	Please talk to your doctor about clinically appropriate options.
<b>Endocrine (other)</b>		
<b>Cortisol synthesis inhibitors</b>	Isturisa	ketoconazole tab, Korlym
<b>Cushing's syndrome</b>	Recorlev	ketoconazole tab
<b>Growth hormones</b>	Genotropin, Humatrope, Norditropin, Nutropin, Saizen, Skytrofa, Zomacton	Omnitrope
<b>Infertility</b>	Gonal-F, Gonal-F RFF	benefit exclusion
<b>Somatostatin analog</b>	Lanreotide	Somatuline Depot
	Mycapssa	octreotide injection
	Signifor (SQ)	Signifor LAR
<b>Testosterone replacement</b>	Aveed, Jatenzo, Natesto, Testopel, Tlando	testosterone, Androderm, Xyosted
<b>Enzyme disorders</b>		
<b>Duchenne muscular dystrophy (DMD)</b>	Amondys 45, Exondys 51, Viltepso, Vyondys 53	dexamethasone, methylprednisolone, prednisone
<b>Gastrointestinal</b>		
<b>Anti-diarrheal agents</b>	Motofen	diphenoxylate/atropine, loperamide
<b>Antiemetics</b>	Sancuso patch	granisetron solution/tablet, ondansetron ODT
<b>Anti-inflammatory, anti-ulcer agents</b>	ibuprofen/famotidine	famotidine, ibuprofen
<b>Irritable bowel syndrome with constipation/chronic idiopathic constipation (IBS-C/CIC)</b>	Ibsrela, Trulance	lubiprostone, Linzess

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Opioid-induced constipation (OIC)</b>	Movantik, Relistor	lubiprostone, Symproic
<b>Inflammatory bowel disease</b>	Dipentum	balsalazide, mesalamine DR cap 400mg, Apriso, Lialda
	Apriso	mesalamine cap 0.375gm ER
<b>Inflammatory bowel disease (continued)</b>	Lialda	mesalamine tab 1.2gm DR
	Ortikos	budesonide ER
<b>Laxatives</b>	Osmoprep, Plenvu	gavilyte, peg 3350, Clenpiq, Suprep
<b>Pancreatic enzymes</b>	Pancreaze, Pertzye, Viokace	Creon, Zenpep
<b>Peptic ulcers</b>	Dartisla ODT	glycopyrrolate
<b>Proton pump inhibitors</b>	omeprazole with sodium bicarbonate (cap, powder pak), Rabeprazole sprinkle cap (M)	esomeprazole magnesium delayed release, lansoprazole, omeprazole, pantoprazole, rabeprazole
<b>Hematological</b>		
<b>Coagulation factors</b>	Sevenfact <sup>1</sup>	Novoseven
<b>Cyclin-dependent kinase inhibitor</b>	Cosela	Nivestym, Zarxio
<b>Erythropoiesis-stimulating agents</b>	Epogen	Aranesp, Procrit, Retacrit
<b>Hemophilia A</b>	Esperoct <sup>1</sup>	Adynovate, Afstyla, Eloctate, Jivi
<b>Long-acting granulocyte-colony stimulating factor (G-CSFS)</b>	Fulphila, Nyvepria, Ziextenzo	Neulasta, Udenyca
<b>Short-acting granulocyte-colony stimulating factor (G-CSFS)</b>	Granix, Neupogen, Releuko	Nivestym, Zarxio
<b>Immunomodulators</b>		
<b>Calcineurin inhibitor</b>	Lupkynis	Benlysta
<b>Folate analog metabolic inhibitor</b>	Otrexup, Reditrex	methotrexate, Rasuvo
<b>Immune globulin, intravenous (IVIG)</b>	Asceniv, Panzyga	Gammagard, Gammaplex, Gamunex-C, Privigen
<b>Immune globulin, subcutaneous (SCIG)</b>	Cutaquig	Cuvitru, Hizentra, Xembify
<b>Interleukin-17 (IL-17) inhibitor</b>	Cosentyx	Taltz
<b>TNF inhibitor</b>	Infliximab, Remicade, Renflexis	Avsola, Inflectra
<b>Tyrosine kinase 2 inhibitors (TYK2)</b>	Sotyktu	Adalimumab - adaz, Amjevita (preferred NDCs), Cimzia, Cyltezo, Enbrel, Humira, Hyrimoz, Skyrizi, STelara, Taltz, Tremfya.

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Immunotherapy</b>		
<b>Oral</b>	Palforzia	Please talk to your doctor about clinically appropriate options.
<b>Ophthalmic</b>		
<b>Antiglaucoma drugs</b>	Vyzulta	latanoprost ophthalmic solution, tafluprost ophthalmic solution, travoprost ophthalmic solution, Lumigan
<b>Antihistamines</b>	Lastacaft, Zerviate	azelastine ophthalmic solution, bepotastine ophthalmic solution, olopatadine ophthalmic solution
<b>Dry eye disease</b>	Cequa	Restasis, Xiidra
	cyclosporine ophthalmic emulsion	Restasis
<b>Keratoconjunctivitis</b>	Verkazia	olopatadine, azelastine, cromolyn, dexamethasone sol/susp, prednisolone sol/susp, fluorometholone
<b>Macular degeneration</b>	Beovu, Byooviz, Lucentis	Compounded Bevacizumab inj, Cimerli
<b>Non-steroidal anti-inflammatory agents</b>	Bromsite, Ilevro, Nevanac	bromfenac ophthalmic solution, diclofenac ophthalmic solution, flurbiprofen sodium ophthalmic solution, ketorolac tromethamine ophthalmic solution, Prolensa
<b>Presbyopia</b>	Vuity	Please talk to your doctor about clinically appropriate options.
<b>Other</b>		
<b>Alzheimer's disease</b>	Adlarity	donepezil, galantamine, rivastigmine
	Aduhelm	Please talk to your doctor about clinically appropriate options.
<b>Amyotrophic lateral sclerosis (ALS)</b>	Exservan	riluzole
<b>ANCA-associated vasculitis</b>	Tavneos	Please talk to your doctor about clinically appropriate options.
<b>Antigout agents</b>	Colchicine capsule (M), Gloperba, Mitigare	colchicine tablet
<b>Antihistamines and combinations</b>	Clarinet-D	Please talk to your doctor about clinically appropriate options.
<b>Bile acid therapy</b>	Livmarli	Please talk to your doctor about clinically appropriate options.
	Reltone, Ursodiol (M)	ursodiol
<b>C-Difficile Infection</b>	Rebyota	Please talk to your doctor about clinically appropriate options.
<b>Chelating agents</b>	penicillamine cap	penicillamine tab, Depen Titra
<b>Diabetic gastroparesis</b>	Gimoti	metoclopramide

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Insomnia</b>	Quviviq	doxepin tab, eszopiclone, ramelteon, temazepam, triazolam, zaleplon, zolpidem ER/IR, Belsomra, Dayvigo
<b>Iron replacement therapy</b>	Accrufer	ferrous fumarate, ferrous gluconate, ferrous sulfate
<b>Lambert-Eaton myasthenic syndrome (LEMS)</b>	Firdapse	Ruzurgi
<b>Long-chain fatty acid oxidation disorders (LC-FAOD)</b>	Dojolvi	Please talk to your doctor about clinically appropriate options.
<b>Multivitamins</b>	<b>Examples:</b> Folic-K, Genicin Vita-S, Hylavite, Lorid, Tronvite, Xvite	Any preferred multivitamin
	<b>Examples:</b> Poly-Vi-Flor chewable, suspension; Poly-Vi-Flor w/Iron chewable, suspension	Any preferred multivitamin with fluoride
<b>Obesity</b>	Contrave	benefit exclusion
	Imcivree	benefit exclusion
<b>Opioid reversal agents</b>	Lifems Naloxone	naloxone, Kloxxado, Narcan
<b>Osteoarthritis/hyaluronic acid injections</b>	Gel-One, Genvisc, Hyalgan, Hymovis, Monovisc, Orthovisc, Supartz FX, Synojoynt, Synvisc, Synvisc-One, Triluron, Trivisc, Visco-3	Durolane, Euflexxa, Gelsyn-3
<b>Osteoporosis</b>	Forteo	Teriparatide, Tymlos
<b>Phenylketonuria (PKU)</b>	Palynziq	sapropterin
<b>Phosphate binders</b>	Auryxia	calcium acetate, lanthanum carbonate, sevelamer, Velphoro
<b>PIK3CA-related overgrowth spectrum (PROS)</b>	Vijoice	Please talk to your doctor about clinically appropriate options.
<b>Platelet-modifying agent</b>	Yosprala	aspirin, omeprazole
<b>Polycystic kidney disease</b>	Jynarque	Please talk to your doctor about clinically appropriate options.
<b>Prenatal vitamins</b>	<b>Examples:</b> Azesco, Pregenna, Prenate, Trinaz, Vitafol FE, Vitathely, Zalvit	Any preferred prenatal vitamin
<b>Proteinuria</b>	Tarpeyo	budesonide, methylprednisolone, prednisone
<b>Sickle cell disease</b>	Oxbryta	hydroxyurea
<b>Pulmonary Arterial Hypertension (PAH)</b>	Tadliq	sildenafil susp, tadalafil tab
<b>Sleep disturbance agents</b>	Hetlioz LQ	Please talk to your doctor about clinically appropriate options.

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

<b>Therapeutic category/ disease state</b>	<b>Excluded medications</b>	<b>Formulary alternative medications</b>
<b>Thyroid agents</b>	Ermeza, Levothyroxine caps (M), Thyquidity, Tirosint caps, solution	levothyroxine
<b>Respiratory</b>		
<b>Allergy: nasal steroids</b>	Xhance	mometasone furoate, Beconase AQ
<b>COPD: inhaled anticholinergics</b>	Incruse Ellipta, Tudorza	Spiriva
<b>COPD: long-acting beta agonist/long-acting muscarinic agonist combination inhalers</b>	Bevespi, Duaklir	Anoro Ellipta, Stiolto Respimat
<b>Cystic fibrosis</b>	Cayston, Kitabis pak, Tobramycin neb 300mg/5ml (M)	tobramycin nebulizer soln, TOBI podhaler
<b>Miscellaneous</b>	Tezspire	Please talk to your doctor about clinically appropriate options.
<b>Pulmonary anti-inflammatory inhalers</b>	Alvesco, Armonair Digihaler, Asmanex, Asmanex HFA, Flovent Diskus, Flovent HFA, Fluticasone Propionate HFA (M), QVAR Redihaler	Arnuity Ellipta, Pulmicort Flexhaler, QVAR Redihaler
<b>Pulmonary anti-inflammatory, long-acting beta agonist combination inhalers</b>	Advair Diskus, Airduo Digihaler, AirDuo Respiclick, Budesonide/Formoterol (M), Dulera, Fluticasone Furoate/Vilanterol (M), Fluticasone/Salmeterol 55mcg/14, 113mcg/14, 232mcg/14 (M)	Advair HFA, Breo Ellipta, fluticasone-salmeterol 100mcg/50, 250mcg/50, 500mcg/50, Symbicort, wixela
<b>Pulmonary anti-inflammatory, long-acting beta agonist combination inhalers</b>	Advair Diskus	fluticasone-salmeterol 100mcg/50, 250mcg/50, 500mcg/50, wixela
<b>Short-acting beta-2 adrenergic inhalers</b>	Albuterol HFA (brand alternative for Ventolin HFA made by Prasco) (M), Levalbuterol Inhaler (M), Pro Air Digihaler, Pro Air HFA, Pro Air Respiclick, Proventil HFA, Ventolin HFA, Xopenex HFA	Any generic albuterol HFA inhaler (EXCEPTION: albuterol HFA made by Prasco)
<b>Sugar alcohol inhalation therapy</b>	Bronchitol	hypertonic saline, Pulmozyme
<b>Urological</b>		
<b>Erectile dysfunction oral agents</b>	Stendra	benefit exclusion
<b>Interstitial cystitis</b>	Elmiron	amitriptyline, hydroxyzine
<b>Overactive bladder (oab)</b>	Gemtesa	darifenacin ER, fesoterodine, oxybutynin ER/IR, solifenacin, tolterodine ER/IR, trospium ER/IR, Myrbetriq tablet
	Myrbetriq granules, Vesicare LS	oxybutynin ER/IR
<b>Urea cycle disorder</b>	Buphenyl, Ravicti	sodium phenylbutyrate powder

(M) Co-branded product

<sup>1</sup>Existing utilizers of these medications will be allowed to continue on therapy. Continuation of therapy will not be provided for any other excluded drugs.

<sup>2</sup>Existing utilizers of these medications will be allowed to continue on therapy with the diagnosis of HIV only. Continuation of therapy will not be provided for any other excluded drugs.

## Excluded brand-name medications with generic equivalents

The brand-name medications below are excluded on the formulary. These brand-name medications have been identified as having available generic equivalents covered at Tier 1 on the formulary. Speak with your pharmacist to have your excluded brand-name medication substituted with its generic equivalent.

A generic medication contains the same active ingredient(s) as a brand-name medication. An active ingredient is what makes the medication work. For example, Lipitor® and its generic both contain atorvastatin, which reduces the amount of bad cholesterol in the blood. Brand-name medications are often protected by a patent. When the patent ends, drug companies can apply to the U.S. Food and Drug Administration (FDA) to begin making generic versions of the medication.

Abilify	Colcryst	Inderal LA	Pred Forte	Timoptic Ocudose
Absorica	Colestid	Intuniv	Prevacid	Timoptic-XE
Acanya	Combigan	Javygator	Prinivil	TOBI nebulizer solution
Aciphex tablet	Concerta	Kenalog-40 Injection	Pristiq	Tobradex suspension
Acticlate	Coreg	Kenalog spray	Prometrium	Topamax
Aczone	Coreg CR	Keppra	Propecia	Topamax sprinkle cap
Adcirca	Cortef	Keppra XR	Protonix tab	Topicort spray
Adderall	Cosopt solution	Klonopin	Provigil	Toprol XL
Adipex-P	Cosopt PF solution	K-tab	Prozac	Toviaz
Afinitor	Cozaar	Kuvan	Pulmicort inhalation suspension	Tracleer 62.5, 125mg
Afinitor Disperz	Crestor	Lamictal chewable	Qudexy XR	Travatan-Z
Alphagan P 0.15%	Cuprimine	Lamictal starter kit	Questran	Treanda
Altace	Cymbalta	Lamictal ODT	Questran Light	Treximet
Ambien	Cytomel	Lamictal tab	Ranexa	Tribenzor
Ambien CR	Daytrana	Lamictal XR	Relafen	Tricor
Amitiza	Delestrogen injection	Lasix	Relpax	Trileptal
Amrix	Delzicol	Latisse	Remodulin injection	Truvada
AndroGel	Depakote	Lescol XL	Renagel	Uceris tab
Arimidex	Depakote ER	Letairis	Restoril	Ultracet
Arthrotec	Depakote sprinkle cap	Lexapro	Retin-A	Ultram
Asacol HD	Depo-testosterone injection	Lidoderm	Retin-A micro gel 0.04%, 0.1%	Vagifem
Atacand	Dexilant	Lipitor	Risperdal solution, tablet	Valium
Ativan	Differin cream, gel	Loestrin 21	Ritalin	Valtrex
Atripla	Dilantin cap 100mg	Loestrin FE	Ritalin LA	Vanadom
Avapro	Dilantin chewable	Lotemax suspension	Roxicodone	Vectical
Avodart	Dilantin suspension	Lotrel	Sabril	Vesicare tab
Azopt	Dilaudid	Lovaza	Safyral	Vigamox
Azor	Diovan	Lunesta	Sandostatin injection	Vimovo
Baraclude	Diovan HCT	Lyrica	Seasonique	Vimpat
Benicar	Doryx tab 50, 200mg	Lyrica CR	Sensipar	Vivelle-Dot
Benicar HCT	Duexis	Maxalt	Seroquel	Volgelxo
Benzaclin	Effexor XR	Maxalt-MLT	Seroquel XR	Vytorin
Benzamycin	Elidel	Metrogel	Silvadene	Welchol
Bepreve	Epiduo gel	Micardis	Singular	Wellbutrin SR
Bethkis	EpiPen Jr 0.15mg	Micardis HCT	Skelaxin	Wellbutrin XL
Beyaz	Esbriet tab	Minastrin	Solodyn	Xalatan
Brisdelle	Estrace	Mobic	Soma	Xanax
Brovana	Evekeo	Moviprep	Strattera	Xanax XR
Butrans	Exforge	MS Contin	Suboxone	Yasmin 28
Bystolic	Exforge HCT	Nalfon	Sutent	Yaz
Cambia	Fioricet	Nasonex	Synthroid	Zanaflex
Canasa	Fioricet w/ codeine	Natroba	Taclonex ointment	Zegerid
Carafate	Firazyr	Neurontin	Tamiflu	Zenzedi 5, 10, 15, 20, 30 mg
Carbatrol	Flomax	Nexium capsule	Targadox	Zestril
Cardizem LA 180,240,300, 360, 420mg	Focalin	Niaspan ER	Targretin	Zetia
Carnitor solution, tablet	Focalin XR	Nitrostat	Tazorac cream 0.1%	Ziana
Catapres-TTS patch	Fortesta	Norvasc	Tazorac gel 0.05%, 0.1%	Zioptan
Celebrex	Generess FE	Nulytely	Tecfidera	Zipsor
Celexa	Chewable	Onfi	Tegretol	Zocor
Cetrotide	Gilenya 0.5mg	Oracea	Tegretol-XR	Zolof
Ciprodex	Gleevec	Paxil tab	Tenormin	Zomig tab
Clarinex 5mg tab	Glucagon kit (Lilly)	Paxil CR	Testim gel	Zomig ZMT
Cleocin vaginal cream	Glumetza	Pennsaid	Tikosyn	Zonegran
Climara patch	Golytely solution	Pentasa 500 mg	Timoptic	Zovirax
Clindagel	Halog cream	Percocet		Zyclara 3.75%
Clobex	Hetlioz	Plaquenil		Zyprexa
Cloderm	Hyzaar	Plavix		Zytiga
	Imitrex			

## Required Prior Authorization +

Therapeutic Class	Non-Preferred Medications	Preferred Medications
Hepatitis C	All other brands non-preferred with prior authorization	Epclusa, Harvoni, Mavyret, Vosevi
Multiple sclerosis	All other brands non-preferred with prior authorization	dimethyl fumarate DR, glatopa, glatiramer, Avonex, Bafiertam, Betaseron, Copaxone, Kesimpta, Vumerity
Immunomodulators	All other brands non-preferred with prior authorization	Amjevita (preferred NDCs), Avsola, Cimzia, Enbrel, Humira, Inflectra, Otezla, Rinvoq, Simponi, Skyrizi, Stelara, Tremfya, Xeljanz, Xeljanz XR

+ All of the products listed above are currently subject to prior authorization. Preferred medications are required prior to new requests for non-preferred medication(s). Existing utilizers of non-preferred medication(s) within the therapeutic categories of Hepatitis C, Immunomodulators and Multiple Sclerosis will be eligible to remain on current therapy if compliance and efficacy of therapy are demonstrated. Exceptions will be granted for specific indications where the preferred agents do not have FDA-approval for use.

**About this document:** Where differences exist between this list and your benefit plan, the benefit plan documents rule. This is not a complete list of your covered medications. Please review your benefit plan documents for full details. Not all formulary alternatives listed in this document may be appropriate for your specific condition. Please talk to your doctor.



All Optum trademarks and logos are owned by Optum, Inc. in the U.S. and other jurisdictions. All other trademarks are the property of their respective owners.

© 2024 Optum, Inc. All rights reserved. WF12408419-D 01012024

Standard